

DOCUMENT SCAN CONTROL SHEET

Document ID 510756

15-0-15, 13-0-5, 18-0-6

EPA # 62719-504-34704

EPA #
For SLN

Product Name SIGNATURE DIMENSION 0.15 PLUS FERTILIZER (VARIOUS FERTILIZER BLENDS)(NO LI USE)

Accepted Date 4/3/2007

Document Type PRILAB

Registration ID 117108

510756

ACCEPTED FOR REGISTRATION
APR 3 2007
NYSDEC



Dimension* 0.15 Plus Fertilizer

Turf and Ornamental Herbicide

For control of crabgrass and control or suppression of listed annual grasses, and broadleaf weeds in established lawns and ornamental turf, including golf course fairways, roughs and tee boxes.
* Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes.
* For use on plants intended for aesthetic purposes or climatic modification and being grown in ornamental gardens or parks, or on golf courses or lawns.
(This product is not labeled for ornamental uses.)

In the state of New York, this product may be applied only by commercial applicators at no more than 3.33 lb (0.15 lb active ingredients) per acre (7.7 lb per 1000 sq ft) per year. Use of this product in Missouri and Suffolk counties of New York is prohibited.

ACTIVE INGREDIENT:
dithiopyr: 3,5-pyridinedicarboxylic acid, 2-(difluoromethyl)-4-(2-methylpropyl)-6-(trifluoromethyl)-5,5-dimethyl ester 0.15%
INERT INGREDIENTS: 99.85%
TOTAL 100.00%

This product contains 0.075 pound of the active ingredient dithiopyr per 50 pound bag.
Product protected by U.S. Patent No. 4,892,184. Other patents pending.
*Trademark of Dow AgroSciences LLC
Dow AgroSciences LLC • Indianapolis, IN 46268 U.S.A.

KEEP OUT OF REACH OF CHILDREN CAUTION

EPA REG. NO. 62719-504-34704
EPA EST. NO. 11800-CA-001 (Lot begins UCA) EPA EST. NO. 82757-FL-1 (Lot begins S)
EPA EST. NO. 32802-MO-1 (Lot begins B) EPA EST. NO. 41124-OH-1 (Lot begins O)
EPA EST. NO. 41124-WI-1 (Lot begins W) EPA EST. NO. 49991-TX-1 (Lot begins TX-1)
EPA EST. NO. 57131-WI-1 (Lot begins EC) EPA EST. NO. 49991-TX-2 (Lot begins TX-2)
EPA EST. NO. 075527-PA-012 (Lot begins FS) EPA EST. NO. 82757-OH-1 (Lot begins MF)
NET WEIGHT 50 LBS. (22.68 KG)

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes Eye Irritation • Harmful if Inhaled
Avoid contact with eyes or clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Prolonged or frequently repeated skin contact while handling this material may cause allergic reaction in some individuals.

CLASSIFIED FOR
"RESTRICTED USE"
IN NEW YORK STATE
UNDER 6NYCRR PART 326

FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, the give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
Hot Line Number: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-992-5994 day or night, for emergency treatment information.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and highly toxic to other aquatic organisms including oysters and shrimp. Use with care when applying to turf areas adjacent to any body of water. Drift and runoff from treated turf may adversely affect aquatic organisms in adjacent aquatic sites. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water when disposing of equipment washwaters. Read entire label for Directions for Use including Storage and Disposal.

Notice: Read the entire label. Use only according to label directions. Before using this product, read Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies at end of Directions for Use. If terms are unacceptable, return at once unopened.

In case of emergency endangering health or the environment involving this product, call 1-800-992-5994. Agricultural Chemical: Do not ship or store with food, feeds, drugs or clothing.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, foodstuffs, feed or seed by storage or disposal.
STORAGE: Store this product only in its original container in a dry, cool, secured storage area.
DISPOSAL: Wastes resulting from the use of this product that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticide disposal or in accordance with applicable Federal, State or local procedures.
EMPTY CONTAINER DISPOSAL: Do not reuse empty bag. Dispose of empty bag in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.
SPILLS: In case of spill, sweep up material and dispose of material according to "product disposal" directions listed above.

USE DIRECTIONS FOR TURF

Dimension* 0.15 Plus Fertilizer turf and ornamental herbicide provides season-long control of crabgrass and control or suppression of other listed annual grasses and broadleaf weeds in established lawns and ornamental turfs, including golf course fairways, roughs, and tee boxes. When used according to label directions, this product will not harm nearby established ornamentals identified as "Tolerant Ornamentals" elsewhere in this label. This product is not labeled for ornamental uses.

USE PRECAUTIONS FOR TURF

This product may be used on seeded, sodded, or sprigged lawns and ornamental turfs that are well-established. Initial application of this product should be made only after turfgrasses have developed a vigorous root system, a uniform stand, and have received at least two mowings following seeding, sodding, or sprigging. Use of this product on turfgrasses that are not well-established, or weakened by stress from weather, pests, disease, chemical, or mechanical influences, may increase the chances of turf injury.

Apply this product only to turfgrass species listed on this label. The following turfgrass species are tolerant to this product when applied as directed:

Cool-Season Grasses	Fescue, fine	Ryegrass, perennial
Bentgrass, creeping	Festuca rubra	Lolium perenne
Agrostis palustris	Fescue, tall	
Bluegrass, Kentucky	Festuca arvensis	
Poa pratensis		
Warm-Season Grasses	Buffalograss	St. Augustinegrass
Bahiagrass	Buchloe dactyloides	Syntherismastrum secundatum
Proxylon horridum	Carpetgrass	Zoysagrass
Bermudagrass	Avanovus affinis	Zoysa japonica
Cynodon dactylon		

13-0-5

GUARANTEED ANALYSIS:

Total Nitrogen (N)13.00%
13.00% Urea Nitrogen*
Available Phosphate (P₂O₅)0.00%
Soluble Potash (K₂O)5.00%
DERIVED FROM: Polymer Coated Sulfur Coated Urea, Urea, Muriate of Potash.
*2.60% Slowly available Urea Nitrogen from Polymer Coated Sulfur Coated Urea.
Chlorine (Cl) not more than5.00%

THIS PRODUCT CONTAINS CHEMICALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER AND BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM
Information regarding the contents and level of metals in this product is available on the Internet at <http://www.regulatory-info-usp.com>
Product No.

GENERAL APPLICATION GUIDELINES:

Rate	lbs. Product per 1,000 sq. ft.	lbs. Nitrogen per 1,000 sq ft.	lbs. A.I. per acre
Low	3.80	0.68	0.25
Medium	5.80	1.04	0.38
High	7.70	1.39	0.50
Spreader Setting	Bigfoot	Earthrow	Lesco Rotary
Low	L 16	J	N
Medium	N 17	K	O
High	P 18	L	P

These settings are approximate for the application rate shown per 1,000 square feet. You may need to adjust the spreader setting depending on walking speed, spreader condition and product.

Use of this product on certain varieties of creeping bentgrass, such as 'Cohasset', 'Camen', 'Seaside', and 'Washington' may result in undesirable turfgrass injury. Not all varieties of creeping bentgrass have been tested. Do not apply this product to Colonial bentgrass (Agrostis tenuis). Use of this product on certain varieties of fine fescue may result in undesirable turf injury. The following fine fescue varieties have been found to be sensitive to this product: 'Atlanda', 'Banner', 'Beauty', 'Bigard', 'CE-2', 'Envy', 'HF-93', 'Highlight', 'Jade', 'Jamestown', 'Koker', 'Majama', 'Misty', 'Pennmarini', 'Ramae', 'Tanjana', 'Waldorf', and 'Waldina'. Not all varieties of fine fescue have been tested.
††† Do not use this product on seedling buffalograss in the spring of the first year of establishment until the turfgrass is fully green and has established new roots.



DISTRIBUTED BY
LOVELAND PRODUCTS, INC.
P.O. BOX 1286, GREELEY, COLORADO 80632-1286

ACCEPTED FOR REGISTRATION
APR 3 2007
NYSDEC

510756



Dimension* 0.15 Plus Fertilizer

Turf and Ornamental Herbicide

For control of crabgrass and control or suppression of listed annual grasses and broadleaf weeds in established lawns and ornamental turf, including golf course fairways, roughs and tee boxes.

- Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes.
- For use on plants intended for aesthetic purposes or climatic modification and being grown in ornamental gardens or parks, or on golf courses or lawns.
- (This product is not labeled for ornamental uses.)

In the state of New York, this product may be applied only by commercial applicators at no more than 333 lb (0.5 lb active ingredient) per acre (7.7 lb per 1000 sq ft) per year. Use of this product in Nassau and Suffolk counties of New York is prohibited.

ACTIVE INGREDIENTS:

diminopyr-3,5-bis(trifluoromethyl)carbamoyl acid, 2-(difluoromethyl)-4-(2-methoxypropyl)-6-(trifluoromethyl)-5-dimethyl ester	0.15%
INERT INGREDIENTS:	99.85%
TOTAL	100.00%

This product contains 0.075 pound of the active ingredient (diminopyr per 50 pound bag. Product protected by U.S. Patent No. 4,692,184. Other patents pending.
*Trademark of Dow AgroSciences LLC
Dow AgroSciences LLC • Indianapolis, IN 46268 U.S.A.

KEEP OUT OF REACH OF CHILDREN

CAUTION

- EPA REG. NO. 62719-504-34704
- EPA EST. NO. 11800-CA-001 (Lot begins UCA)
 - EPA EST. NO. 32802-MO-1 (Lot begins B)
 - EPA Est. No. 41124-WI-1 (Lot begins W)
 - EPA EST. NO. 57131-WI-1 (Lot begins EC)
 - EPA EST. NO. 075527-PA-012 (Lot begins FS)
 - EPA EST. NO. 82757-OH-1 (Lot begins MF)
 - NET WEIGHT 50 LBS. (22.68 KG)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes Eye Irritation • Harmful If Inhaled
Avoid contact with eyes or clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Prolonged or frequently repeated skin contact while handling this material may cause allergic reaction in some individuals.

CLASSIFIED FOR "RESTRICTED USE" IN NEW YORK STATE UNDER 6NYCRR PART 326

FIRST AID
If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, the give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
Hot Line Number: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-992-5994 day or night, for emergency treatment information.

ENVIRONMENTAL HAZARDS
This product is toxic to fish and highly toxic to other aquatic organisms including oysters and shrimp. Use with care when applying to turf areas adjacent to any body of water. Drift and runoff from treated turf may adversely affect aquatic organisms in adjacent aquatic sites. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water when disposing of equipment washwaters.

Read entire label for Directions for Use including Storage and Disposal.
Notice: Read the entire label. Use only according to label directions. Before using this product, read Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies at end of Directions for Use. If terms are unacceptable, return at once unopened.

In case of emergency endangering health or the environment involving this product, call 1-800-992-5994. Agricultural Chemicals Do not ship or store with food, feeds, drugs or clothing.

DIRECTIONS FOR USE
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL
Do not contaminate water, foodstuffs, feed or seed by storage or disposal.
STORAGE: Store this product only in its original container in a dry, cool, secure storage area.
DISPOSAL: Wastes resulting from the use of this product that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticide disposal or in accordance with applicable Federal, state or local procedures.

EMPTY CONTAINER DISPOSAL: Do not reuse empty bag. Dispose of empty bag in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.
SPILL: In case of spill, sweep up material and dispose of material according to "product disposal" directions listed above.

USE DIRECTIONS FOR TURF
Dimension* 0.15 Plus Fertilizer turf and ornamental herbicide provides season-long control of crabgrass and control or suppression of other listed annual grasses and broadleaf weeds in established lawns and ornamental turfs, including golf course fairways, roughs, and tee boxes. When used according to label directions, this product will not harm established ornamentals identified as "Tolerant Ornamentals" elsewhere in this label. This product is not labeled for ornamental uses.

USE PRECAUTIONS FOR TURF
This product may be used on seeded, sodded, or sprigged lawns and ornamental turfs that are well-established. Initial application of this product should be made only after turfgrasses have developed a vigorous root system, a uniform stand, and have received at least two munnings following seeding, sodding, or sprigging. Use of this product on turfgrasses that are not well-established or weakened by stress from weather, pests, disease, chemical, or mechanical influences, may increase the chances of turf injury.

Apply this product only to turfgrass species listed on this label. The following turfgrass species are tolerant to this product when applied as directed:

Cool-Season Grasses	Bentgrass, creeping	Fescue, fine	Ryegrass, perennial
Agrostis patens	Fescue, tall	Festuca rubra	Lolium perenne
Bluegrass, Kentucky	Festuca, tall	Festuca ovina	
Poa pratensis	Festuca arundinacea		
Warm-Season Grasses	Buffalagrass	Centipedegrass	St. Augustinegrass
Bahiagrass	Buckeye dactyloides	Eremochloa ophiuroides	Syntherisma securidatum
Paspalum notatum	Carpetgrass	Klayagrass	Zoysiagrass
Bermudagrass	Cenchrus ciliaris	Pennisetum clandestinum	Zoysia japonica
Lynodon dactylon			

15-0-15

GUARANTEED ANALYSIS:

Total Nitrogen (N)	15.00%
15.00% Urea Nitrogen*	15.00%
Soluble Potash (K ₂ O)	0.00%
DERIVED FROM: Polymer Coated Sulfur Coated Urea, Urea, Sulfate of potash, *6.75% Slowly available Nitrogen from Polymer Coated Sulfur Coated Urea Chlorine (Cl) not more than	7.00%

THIS PRODUCT CONTAINS CHEMICALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER AND BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM
Information regarding the contents and level of metals in this product is available on the Internet at <http://www.regulatory-info-udp.com>

Product No.

GENERAL APPLICATION GUIDELINES:

Rate	lbs. Product per 1,000 sq. ft.	lbs. Nitrogen per 1,000 sq. ft.	lbs. A.I. per acre
Low	3.80	0.68	0.25
Medium	5.80	1.04	0.38
High	7.70	1.39	0.50

Spreader Setting	Bigfoot	Earthway	Lesco Rotary	AcalaPro 2000
Low	L	16	J	N
Medium	N	17	K	O
High	P	18	L	P

These settings are approximate for the application rate shown per 1,000 square feet. You may need to adjust the spreader setting depending on walking speed, spreader condition and product.

Use of this product on certain varieties of creeping bentgrass, such as 'Cohasset', 'Carmen', 'Seaside', and 'Washington' may result in undesirable turfgrass injury. Not all varieties of creeping bentgrass have been tested. Do not apply this product to Colonial bentgrass (Agrostis tenuis). The use of this product on certain varieties of fine fescue may result in undesirable turf injury. Use of this product on certain varieties of fine fescue may result in this product:

- following fine fescue varieties have been found to be sensitive to this product: Atlanta, Beau, Beauty, Bilgert, CF-2, Enjoy, HF-93, Highlight, Loyal, Simonsdown, Kokee, Magenta, May, Pennislaw, Tamar, Waldorf, and Waldina. Not all varieties of fine fescue have been tested.


Do not use this product on seedling buffalograss in the spring of the first year of establishment until the turfgrass is fully green and has established new roots.



DISTRIBUTED BY
LOVELAND PRODUCTS, INC.
P.O. BOX 1286, GREELEY, COLORADO 80632-1286

ACCEPTED FOR REGISTRATION
APR 3 2007
NYSDEC

510756



Dimension* 0.15 Plus Fertilizer

Turf and Ornamental Herbicide

For control of crabgrass and other annual grasses and broadleaf weeds in established lawns and ornamental turf, including golf course fairways, roughs and tee boxes.

*Not for use on plants being grown for sale or other commercial use, or for research purposes.

*For use on plants intended for aesthetic purposes or climatic modification and being grown in ornamental gardens or parks, or on golf courses or lawns.

(This product is not labeled for ornamental uses.)

In the State of New York, this product may be applied only by commercial applicators at no more than 333 lb (0.5 lb active ingredient) per acre (1.7 lb per 1000 sq ft) per year. Use of this product in Missouri and Suffolk counties of New York is prohibited.

ACTIVE INGREDIENT:
dithiopyr: 3-(5-pyridinylmethyl)carbothioic acid, 2-(difluoromethyl)-4-(2-methylpropyl)-6-(trifluoromethyl)-5,5-dimethyl ester 0.15%
INERT INGREDIENTS: 99.85%
TOTAL 100.00%

This product contains 0.075 pound of the active ingredient dithiopyr per 50 pound bag.
Product produced by U.S. Patent No. 4,692,184. Other patents pending.
Dow AgroSciences LLC
Dow AgroSciences LLC • Indianapolis, IN 46268 U.S.A.

KEEP OUT OF REACH OF CHILDREN CAUTION

- EPA REG. NO. 62719-504-34704
- EPA EST. NO. 11800-CA-001 (Lot begins UCA) EPA EST. NO. 82757-FL-1 (Lot begins S)
- EPA EST. NO. 32802-MO-1 (Lot begins B) EPA EST. NO. 41124-OH-1 (Lot begins O)
- EPA EST. NO. 41124-WI-1 (Lot begins W) EPA EST. NO. 49991-TX-1 (Lot begins TX-1)
- EPA EST. NO. 57131-WI-1 (Lot begins EC) EPA EST. NO. 49991-TX-2 (Lot begins TX-2)
- EPA EST. NO. 075527-PA-012 (Lot begins FS) EPA EST. NO. 82757-OH-1 (Lot begins HF)
- EPA EST. NO. 075527-PA-012 (Lot begins FS) EPA EST. NO. 82757-OH-1 (Lot begins HF)
- NET WEIGHT 50 LBS. (22.68 KG)**

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes Eye Irritation • Harmful if Inhaled
Avoid contact with eyes or clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Produced of frequently repeated skin contact while handling this material may cause allergic reaction in some individuals.

CLASSIFIED FOR
"RESTRICTED USE"
IN NEW YORK STATE
UNDER 6NYCRR PART 326

FIRST AID
If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, the give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
Hot Line Number: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-992-5994, day or night, for emergency treatment information.

ENVIRONMENTAL HAZARDS
This product is toxic to fish and highly toxic to other aquatic organisms including oysters and shrimp. Use with care when applying to turf areas adjacent to any body of water. Drift and runoff from treated turf may adversely affect aquatic organisms in adjacent aquatic areas. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water when disposing of equipment washwaters.

Read entire label for Directions for Use including Storage and Disposal.
Notice: Read the entire label. Use only according to label directions. Before using this product, read Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies at end of Directions for Use. If terms are unacceptable, return at once unopened.

In case of emergency endangering health or the environment involving this product, call 1-800-992-5994. Agricultural Chemical. Do not ship or store with food, feeds, drugs or clothing.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, foodstuffs, feed or seed by storage or disposal.
STORAGE: Store this product only in its original container in a dry, cool, secured storage area.
DISPOSAL: Waste resulting from the use of this product that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticide disposal or in accordance with applicable Federal, state or local procedures.
EMPTY CONTAINER DISPOSAL: Do not reuse empty bag. Dispose of empty bag in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke. **SPILL:** In case of spill, sweep up material and dispose of material according to "product disposal" directions listed above.

USE DIRECTIONS FOR TURF
Dimension® 0.15 Plus Fertilizer turf and ornamental herbicide provides season-long control of crabgrass and control or suppression of other listed annual grasses and broadleaf weeds in established lawns and ornamental turfs, including golf course fairways, roughs, and tee boxes. When used according to label directions, this product will not harm nearby established ornamentals identified as "Tolerant Ornamentals" elsewhere in this label. This product is not labeled for ornamental uses.

USE PRECAUTIONS FOR TURF

This product may be used on seeded, sodded, or sprigged lawns and ornamental turfs that are well-established. Initial application of this product should be made only after turfgrasses have developed a vigorous root system, a uniform stand, and have received at least two mowings following seeding, sodding, or sprigging. Use of this product on turfgrasses that are not well-established, or weakened by stress from weather, pests, disease, chemical, or mechanical influences, may increase the chances of turf injury.
Apply this product only to turfgrass species listed on this label. The following turfgrass species are tolerant to this product when applied as directed:

Cool-Season Grasses	Fescue, fine fescue, fine fescue, fine fescue	Ryegrass, perennial
Bentgrass, creeping	Festuca rubra	Lolium perenne
Bentgrass, Kentucky	Festuca tall	
Poa annua	Festuca ovina	
Poa trivialis		
Warm-Season Grasses	Buffalograss	St. Augustinegrass
Bahia grass	Buchloe dactyloides	Stenotaphrum secundatum
Centipede grass	Centipede grass	Zoysa grass
Perennial ryegrass	Perennial ryegrass	Zoysa japonica
Creeping bentgrass	Creeping bentgrass	
Ornamental grasses	Ornamental grasses	

18-0-6

G U A R A N T E E D A N A L Y S I S :

Total Nitrogen (N)18.00%
18.00% Urea Nitrogen*6.00%
Soluble Potash (K₂O)5.00%
DERIVED FROM: Polymer Coated Sulfur Coated Urea, Urea, Muriate of Potash.
*4.50% Slowly available Urea Nitrogen from Polymer Coated Sulfur Coated Urea.
Chlorine (Cl) not more than5.00%

THIS PRODUCT CONTAINS CHEMICALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER AND BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM
Information regarding the contents and level of metals in this product is available on the Internet at <http://www.regulatory-info-usa.gov>
Product No.


GENERAL APPLICATION GUIDELINES:

Rate	lbs. Product per 1,000 sq ft	lbs. Nitrogen per 1,000 sq ft	lbs. A.I. per acre
Low	3.80	0.68	0.25
Medium	5.80	1.04	0.38
High	7.70	1.39	0.50

Spreader Setting	Bigfoot	Earthway	Lesco Rotary	AccuPro 2000
Low	L	16	J	N
Medium	P	17	K	O
High	N	18	L	P

These settings are approximate for the application rate shown per 1,000 square feet. You may need to adjust the spreader setting depending on walking speed, spreader condition and product.

Use of this product on certain varieties of creeping bentgrass, such as 'Cohansky', 'Camen', 'Seaside', and 'Washington' may result in undesirable turfgrass injury. Not all varieties of creeping bentgrass have been tested. Do not apply this product to Colonial bentgrass (Agrostis tenuis). Use of this product on certain varieties of fine fescue may result in undesirable turf injury. The following fine fescue varieties have been found to be sensitive to this product: 'Atlanta', 'Banner', 'Beauty', 'Bigard', 'CF-2', 'Enjoy', 'HF-93', 'Highgate', 'Jade', 'Jamestown', 'Koker', 'Majestic', 'Mazy', 'Pennlawn', 'Tamar', 'Tatjana', 'Waldorf', and 'Waldina'. Not all varieties of fine fescue have been tested.
Do not use this product on seeding buffalograss in the spring of the first year of establishment until the turfgrass is fully green and has established new roots.



DISTRIBUTED BY
LOVELAND PRODUCTS, INC.
P.O. BOX 1286, GREELEY, COLORADO 80632-1286

PROLOGIC, INC.

